AYERSVILLE WATER AND SEWER DISTRICT

PH: 419-395-1733 FAX: 419-395-2533 13961 Fruit Ridge Rd Defiance, OH 43512

WEBSITE: ayersvillewsd.com

BOARD

President, Greg Schafer Vice President, Jason Schafer Treasurer, Ronda Phillips Secretary, Kenton Miller

Members: John Miller, Janet Beardsley, Brian Berry Legal Counsel, Carl Ireland

EMPLOYEES

District Manager, Eric Wenzinger Clerk, Heather Baker Field Operators, John Lehnert, Wes Wenner

AGENDA FOR THE BOARD MEETING ON JANUARY 16TH, 2020 MEETING STARTS AT 7:00 P.M.

- A. Call to order, in accordance with ORC 121.22
- B. Roll Call of Officers and attendees
- C. Public Comment Limit input to a reasonable time (up to 3 mins.)
- D. Reading and approval of the previous meeting's minutes December 19th, 2019
- E. Correspondence
 - i) President
 - a) Infiltration & leak detection
 - b) Web site online payments with DOXO
 - c) Rate study
 - d) TTHM latest response to EPA
 - e) Election of officers
 - f) Committee assignments
 - ii) Treasurer
 - a) Review of the Monthly Financial Reports for December 19th, 2019
 - 1) bank statements
 - 2) bank reconciliation
 - 3) customer adjustment
 - 4) wage and leave report

- 5) purchase orders
- 6) vendor list
- 7) Other reports water and sewer billing report, appropriations, income, etc.
- b) Motion to approve monthly reports
- c) Additional Reports from Treasurer

iii) District Manager-review District Manager's Monthly Report

- a) Water main break -
- b) New services-pending or in process Watson, Bowman
- c) Air release valves-maintenance summer (37) of them
- d) SCADA update (Jake Lambert, I.T. City of Defiance) North Dohoney \$3500 approved
- e) Infiltration South Dohoney & other places
- f) Sensus update: Board needs to go over the Quote
- g) Hydrant relocation for Watson Rd.
- h) Training plans clerk, and field operators
- i) Hr. meters installation update on results
- F. Enter executive session, in accordance with ORC 121.22, if necessary, and specify topics
- G. Additional Business-
- H. Legal Counsel-
- I. Adjournment