AYERSVILLE WATER AND SEWER DISTRICT

13961 Fruit Ridge Rd Defiance, OH 43512 PH: 419-395-1733 FAX: 419-395-2533

WEBSITE: ayersvillewsd.com

BOARD

President, Greg Schafer Vice President, Jason Schafer Treasurer, Ronda Phillips Secretary, Kenton Miller **Members**: Janet Beardsley, Brian Berry, Rachel Beardsley Legal Counsel, Carl Ireland

EMPLOYEES

District Manager, Eric Wenzinger

Clerk, Heather Baker Field Operators, John Lehnert, Wes Wenner

AGENDA FOR THE BOARD MEETING ON JUNE 18th, 2020 **MEETING STARTS AT 7:00 P.M.**

- A. Call to order, in accordance with ORC 121.22
- B. Roll Call of Officers and attendees
- C. Public Comment Limit input to a reasonable time (up to 3 mins.)
- D. Reading and approval of the previous meeting's minutes May 21st, 2020
- E. Correspondence

i) President

- a) Stantec
- b) Phase A assessment schedule
- c) Infiltration & leak detection
- d) TTHM latest response to EPA
- e) Man holes on South Dohoney & Blanchard raising issue?
- f) EJP quote
- g) Floor in office

ii) Treasurer

- a) Review of the Monthly Financial Reports for May, 2020
 - 1) bank statements
 - 2) bank reconciliation

- 3) customer adjustment
- 4) wage and leave report
- 5) purchase orders
- 6) vendor list
- 7) Other reports water and sewer billing report, appropriations, income, etc.
- b) Motion to approve monthly reports

iii) District Manager-review District Manager's Monthly Report

- a) Water main break -
- b) New services-pending or in process
- c) Air release valves-maintenance summer (37) of them
- d) SCADA update (Jake Lambert, I.T. City of Defiance) North Dohoney \$3500 approved
- e) Infiltration South Dohoney & other places
- f) Sensus update: Board needs to go over the Quote
- g) Hydrant relocation for Watson Rd.
- h) Training plans clerk, and field operators
- i) Hr. meters installation update on results
- j) TTHM results
- k) Pump station VFD's
- F. Enter executive session, in accordance with ORC 121.22, if necessary, and specify topics
- G. Additional Business-
- H. Legal Counsel-
- I. Adjournment